	Mobiles - VX-2500 CONVEN	
Model	Description	List Price
VX-2500UD	VX-2500 Series Conventional Mobile 25W 450-490MHz	\$349.00
	H- 128CH w/MH-25A8J	
25A8J	VV 2500 Corios Conventional Mahila 25W 140 174MU-	ф220.00
VX-2500VC	VX-2500 Series Conventional Mobile 25W 148-174MHz I-128CH w/MH-25A8J	\$339.00
25A8J	1-12oCn W/Wn-23AoJ	
	Microphone	
	wild optione	
Model	Description	List Price
MD-11A8J DESKTOP	MD-11A8J DESKTOP MICROPHONE	\$102.00
MICROPHONE		
MH-25A8J	Standard Microphone	\$40.00
MH-700D	DTMF Microphone, Black	\$186.00
	Speaker	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
MLS-200	12 W peak external weatherproof speaker.	\$89.00
	Power Supply	
	i ower suppry	
Model	Description	List Price
FP-1023	External Power Supply 23 Amp	\$216.88
	Programming and Installation	
Model	Description	List Price
CT-104A	CT-104A Interface Cable for FIF-10A	\$40.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific	\$150.00
FIF-TOA	models for additional cable pigtails.	\$150.00
PROG/ADD	Factory Radio Programming (Each additional channel after	\$6.00
PROGRAMMING	1st) Factory Radio Programming (single channel only)	\$50.00
VX VPL-1	Programming cable from PC. Check specific models for	\$87.00
	additional cable piqtails.	
	DC Noise Filters	
Model	Description	List Price
LF-1	Plug-In Line Filter	\$35.00
	Mobiles - VX-3200	<del>-</del>
Model	Description	List Price
VX-3200UD PKG-1	VX-3200 Series Mobile 45W 450-490MHz 128CH w/MH-	\$409.00
MH-25A8J	25A8J	
VX-3200VC PKG-1 MH-25A8J	VX-3200 Series Mobile 50W 148-174MHz 128CH w/MH- 25A8J	\$399.00
	Microphone	

Model	Description	List Price
MD-11A8J DESKTOP	<u> </u>	\$102.00
MICROPHONE		· · · · · · · · · · · · · · · · · · ·
MH-25A8J	Standard Microphone	\$40.00
MH-700D	DTMF Microphone, Black	\$186.00
	Speaker	
841-1	IDtutt	Link Britan
MLS-100	Description External Speaker (12 Watt Peak)	List Price
MLS-200	12 W peak external weatherproof speaker.	\$62.00 \$89.00
WE3-200	12 W peak external weatherproof speaker.	\$07.00
	Power Supply	
Model	Description	Lint Dring
FP-1023	Description External Power Supply 23 Amp	<b>List Price</b> \$216.88
11-1025	External Fower Supply 23 Amp	Ψ210.00
	Programming and Installation	
Model	Description	List Price
CT-104A	CT-104A Interface Cable for FIF-10A	\$40.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific models for additional cable pigtails.	\$150.00
INST-OPT	Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after 1st)	\$6.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable piqtails.	\$87.00
	Signaling	
	Olg. Lam.ig	
Model	Description	List Price
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-	\$118.00
	[6000)	
	DC Noise Filters	
Model	Description	List Price
LF-1	Plug-In Line Filter	\$35.00
	1 109 111 21110 1 11101	ψ00.00
	Alignment/Service Related	
Madal	Description	List Drice
Model FIF-8	<b>Description</b> Firmware Writer. Unit comes with a cable for the muli-pin	<b>List Price</b> \$188.00
1 11 -0	radios (VX-900, VX-4000, etc.). Please order the CT-92 cable for firmware updating of modular connector radios (VX-3200, VX-4200, VXR-9000, etc.). Powered by a PA-	\$108.00

	DC cables	
Model	Description	List Price
E-DC-22	30 ft DC cable for VX-4000/-5500 mobiles.	\$80.00
	Mobiles - VX-4000	
Model	Description	List Price
VX-4000LA PKG-1	VX-4000 Series Mobile 70W 29.7-37MHz 250CH w/MH-	\$625.00
MH-25B7A	25B7A	
VX-4000LB PKG-1	VX-4000 Series Mobile 70W 37-50MHz 250CH w/MH-25B7A	\$625.00
MH-25B7A VX-4000UA PKG-1	WY ADDOLLA DIVO 4 MILL DEDTA	ф/ <b>41</b> / <b>7</b>
MH-25B7A	VX-4000UA PKG-1 MH-25B7A	\$641.67
VX-4000UD PKG-1	VX-4000 Series Mobile 40W 450-490MHz 250CH w/MH-	\$641.67
MH-25B7A	25B7A	4011107
VX-4000VA PKG-1	VX-4000 Series Mobile 50W 134-160MHz 250CH w/MH-	\$591.67
MH-25B7A	25B7A	
VX-4000VC PKG-1	VX-4000 Series Mobile 50W 148-174MHz 250CH w/MH-	\$591.67
MH-25B7A	25B7A	
	Mounting Bracket	
	mounting Druottet	
Model	Description	List Price
MMB-75	Mobile Mounting Bracket ( Supplied w/radio)	\$25.00
MMB-76	Locking Mobile Mounting Bracket	\$75.00
MMB-88	This is a mounting bracket, which is a base plate for the	\$79.00
IVIIVID-00	CNT-5000 and MLS-200.	Ψ17.00
	ONT-3000 AND WES-200.	
	The MAND OO seems to be seed to see the country of the CNIT 5000 and	
	The MMB-88 mounts to a motorcycle. The CNT-5000 and	
	MLS-200 then mount to the MMB-88, side by side.	
	Microphone	
Model	Description	List Price
MD-11A8J/4000	Desk Microphone	\$114.00
MH-25B7A	Vertex Mobile Microphone (Supplied w/radio)	\$56.00
MH-53A7A	The MH-53A7A is a Noise-Canceling Microphone .	\$103.00
MH-53A8A	Heavy Duty Weatherproof Noise Canceling DTMF	\$149.00
MIL CODZA	Microphone for the CNT-5000 remote Control Head.	¢1/2.00
MH-53B7A	The MH-53B7A is a Noise-Canceling Microphone with DTMF keypad.	\$163.00
MH-53C7A	The MH-53C7A is a Heavy Duty Microphone .	\$105.00
		,,,,,,,
	Speaker	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
	12 W peak external weatherproof speaker.	\$89.00
MLS-200	Power Supply	

Model	Description	List Price
FP-1023	External Power Supply 23 Amp	\$216.88
	Programming and Installation	
	Programming and mistaliation	
Model	Description	List Price
CT-70	Radio Programming Cable (Requires VX VPL-1 Cable)	\$63.00
CT-72	Cloning Cable (Set-to-Set Clone)	\$68.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific	\$150.00
INCT ODT	models for additional cable pigtails.	фГ2.00
INST-OPT	Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after 1st)	\$6.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX MPI	Programming Kit for the MDC1200 and the FVP-35	\$263.00
	Signaling	
Model	Description	List Price
CN-6	Connector Board (to be used with the installation of third-	\$16.00
014 0	party options.)	Ψ10.00
F2D-8	Two-Tone Decoder. (requires FIF-7 if used on the VX-4000	\$102.00
F5D-14	/ VX-5500 / VX-6000) Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-	\$202.00
130-14	4000 / VX-5500 / VX-6000)	\$202.00
FIF-7A	Interface Board (for VX-4000 / 5500 / 6000 with FVP-25,	\$37.00
	FVP-35, F2D-8 & VTP-50 option boards)	
	Replaces the FIF-7	
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging.	\$118.00
	(requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-	
EVD 25	6000)	#24/ OO
FVP-35	Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI	\$346.00
	for programming	
MDC1200	MDC1200 ANI Encoder. Requires FIF-7 if installed into the	\$125.00
	VX-4000 / VX-5500 / VX-6000. Requires VX MPI for	
VME-100	programming.  The VME-100 is a plug-in ANI encoder capable of encoding	\$99.95
	MDC1200, GE Star or DTMF ANI per channel.	
VTP-50	Trunking Portable Logic Board, requires FIF-7 if used in teh	\$134.00
	VX-4000, VX-5500 or VX-6000 mobile.	
	DC Noise Filters	
Model	Description	List Price
LF-1	Plug-In Line Filter	\$35.00
	Control Head	
Model	Description	List Price
CNT-4000	Control Head (extra control head needed in Dual Head	\$175.00
	configuration)	

CNT-5000	Compact motorcycle control head for the VX-	\$499.00
	4000, VX-5500 and VX-6000 mobiles.	
	Cover plate	
	<del>_</del>	
Model	Description	List Price
RMK-4000B	Cover plate for the RF Deck in Remote Applications	\$65.00
RMK-4000H	Cover plate for the Control Head (Includes mounting bracket and hardware)	\$105.00
RMK-5000B	Dedicated Motorcycle Control Head. Built for ease of use and all weather operation.	\$179.00
	Remote Cable	
Model	Description	List Price
CT-81	Remote Cable for RMK-4000 series (20 ft) (RF Deck to Control Head)	\$90.00
CT-82	Remote Cable for RMK-4000 series (8 ft) (RF Deck to Control Head)	\$80.00
CT-83	Remote Cable for RMK-4000 series (2 ft) (RF Deck to RF Deck)	\$70.00
CT-93	Remote Cable for RMK-4000 series (30 ft) (RF Deck to Control Head)	\$96.34
	Alignment/Service Related	
	•	
Model	Description	List Price
CT-88	The CT-88 cable is used in conjunction	\$55.00
	with the FIF-8 box to make adjustments to	
	the alignment. This is for the VX-4000/VX	
	5500/VX-6000 mobiles. The CT-88	
	connects from the DB25 accessory port of	
	ÿ <u>1</u>	
EIE 0	the mobile, to the FIF-8 box interfaced to	ф100 oc
FIF-8	Firmware Writer. Unit comes with a cable for the muli-pin radios (VX-900, VX-4000, etc.). Please order the CT-92	\$188.00
	cable for firmware updating of modular connector radios	
	(VX-3200, VX-4200, VXR-9000, etc.). Powered by a PA-23B (not supplied)	
	DC cables	
Model	Description	List Price
E-DC-22	30 ft DC cable for VX-4000/-5500 mobiles.	\$80.00
	Mobiles - VX-4100	
Model	Description	List Price
VX-4104-0-50 PKG- MH-25A8J	1 VX-4100 Series Compact Mobile 50W 134-174MHz 8CH w/MH-25A8J	\$380.00
WH-25A8J VX-4107-7-45 PKG- MH-25A8J		\$420.00
	Mounting Bracket	
	Woulding Dideket	

Model	Description	List Price
MMB-85	Quick Release Mobile Bracket for VX-4100/4200	\$75.00
	•	
	Microphone	
Model	Description	List Price
MD-11A8J DESKTOP MICROPHONE	MD-11A8J DESKTOP MICROPHONE	\$102.00
MH-25A8J	Standard Microphone	\$40.00
MH-700D	DTMF Microphone, Black	\$186.00
	Speaker	
	la	
Model	Description	List Price
MLS-100 MLS-200	External Speaker (12 Watt Peak)  12 W peak external weatherproof speaker.	\$62.00 \$89.00
IVILS-200	12 w peak external weatherproof speaker.	\$89.00
	Power Supply	
Model	Description	List Price
FP-1023	External Power Supply 23 Amp	\$216.88
	Programming and Installation	
Model	Description	List Price
CT-104A	CT-104A Interface Cable for FIF-10A	\$40.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific	\$150.00
INST-OPT	models for additional cable pigtails. Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after	\$6.00
T KOG/NBB	1st)	\$0.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable pigtails.	\$87.00
	Signaling	
Model	Description	List Price
DVS-5	Digital Voice Storage Board (120 sec. max.)	\$50.00
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging.	\$118.00
	(requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-	*
EVD 3E	6000)	¢244.00
FVP-35	Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI	\$346.00
	for programming	
MDC1200	MDC1200 ANI Encoder. Requires FIF-7 if installed into the	\$125.00
	VX-4000 / VX-5500 / VX-6000. Requires VX MPI for	
SRX-1	programming. Interoperability Receiver Board. This is a UHF Sub-	\$160.00
	Receiver designed to be installed into the VHF VX-4100 or	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	VX-4200 mobiles (VX-4104, VX-4204).	
SRX-2	Interoperability Receiver Board. This is a VHF Sub-Receiver	\$160.00

	designed to be installed into the UHF VX-4100 or VX-4200 mobiles (VX-4107, VX-4207).	
VME-100	The VME-100 is a plug-in ANI encoder capable of encoding MDC1200, GE Star or DTMF ANI per channel.	\$99.95
VTP-50	Trunking Portable Logic Board, requires FIF-7 if used in teh VX-4000, VX-5500 or VX-6000 mobile.	\$134.00
	DC Noise Filters	
Model	Description	List Price
LF-1	Plug-In Line Filter	\$35.00
	DC cables	
Model	Description	List Price
E-DC-22	30 ft DC cable for VX-4000/-5500 mobiles.	\$80.00
	Mobiles - VX-4200	
Model	Description	List Price
VX-4204-0-50 PKG-1 MH-25A8J	VX-4200 Series Compact Mobile 50W 134-174MHz 501CH w/MH-25A8J	\$469.00
VX-4207-6-45 PKG-1	VX-4200 Series Compact Mobile 45W 400-470MHz 501CH	\$479.00
MH-25A8J VX-4207-7-45 PKG-1	w/MH-25A8J VX-4200 Series Compact Mobile 45W 450-512MHz 501CH	\$479.00
MH-25A8J	w/MH-25A8J	Ψ17.00
	Mounting Bracket	
Model	Description	List Price
MMB-85	Quick Release Mobile Bracket for VX-4100/4200	\$75.00
	Microphone	
Model	Description	List Price
MD-11A8J DESKTOP MICROPHONE	MD-11A8J DESKTOP MICROPHONE	\$102.00
MH-25A8J	Standard Microphone	\$40.00
MH-700D	DTMF Microphone, Black	\$186.00
	Speaker	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
MLS-200	12 W peak external weatherproof speaker.	\$89.00
	Power Supply	
Model	Description	Link Duine
FP-1023	External Power Supply 23 Amp	<b>List Price</b> \$216.88
		<del>\$210.00</del>
	Programming and Installation	

Model	Description	List Price
CT-104A	CT-104A Interface Cable for FIF-10A	\$40.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific	\$150.00
	models for additional cable pigtails.	
INST-OPT	Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after 1st)	\$6.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX MPI	Programming Kit for the MDC1200 and the FVP-35	\$263.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable pigtails.	\$87.00
	Signaling	
	<u> </u>	
Model	Description	List Price
DVS-5	Digital Voice Storage Board (120 sec. max.)	\$50.00
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)	\$118.00
FVP-35	Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for programming	\$346.00
MDC1200	MDC1200 ANI Encoder. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for programming.	\$125.00
SRX-1	Interoperability Receiver Board. This is a UHF Sub-Receiver designed to be installed into the VHF VX-4100 or VX-4200 mobiles (VX-4104, VX-4204).	\$160.00
SRX-2	Interoperability Receiver Board. This is a VHF Sub-Receiver designed to be installed into the UHF VX-4100 or VX-4200 mobiles (VX-4107, VX-4207).	\$160.00
VMDE-200	MDC1200 Encoder/Decoder module	\$165.00
VME-100	The VME-100 is a plug-in ANI encoder capable of encoding MDC1200, GE Star or DTMF ANI per channel.	\$99.95
VTP-50	Trunking Portable Logic Board, requires FIF-7 if used in teh VX-4000, VX-5500 or VX-6000 mobile.	\$134.00
	DC Noise Filters	
Model	Description	List Price
LF-1	Plug-In Line Filter	\$35.00
	DC cables	
Model	Description	List Price
E-DC-22	30 ft DC cable for VX-4000/-5500 mobiles.	\$80.00
	Mobiles - VX-5500	
Model	Description	List Price
VX-5500LB PKG-1	VX-5500 Series High Spec Pablic Safety Mobile 70W 37-	\$683.33
MH-25B7A VX-5500UD PKG-1	50MHz 250CH w/MH-25B7A VX-5500 Series High Spec Pablic Safety Mobile 45W 450-	\$700.00
MH-25B7A VX-5500VC PKG-1 MH-25B7A	490MHz 250CH w/MH-25B7A  VX-5500 Series High Spec Pablic Safety Mobile 50W 148- 174MHz 250CH w/MH-25B7A	\$683.33

	Mounting Bracket	
Model	Description	List Price
MMB-75	Mobile Mounting Bracket (Supplied w/radio)	\$25.00
MMB-76	Locking Mobile Mounting Bracket  Locking Mobile Mounting Bracket	\$75.00
MMB-88	This is a mounting bracket, which is a base plate for the	\$79.00
	CNT-5000 and MLS-200.	
	The MMB-88 mounts to a motorcycle. The CNT-5000 and	
	MLS-200 then mount to the MMB-88, side by side.	
	Microphone	
Model	Description	List Price
MH-25B7A	Vertex Mobile Microphone (Supplied w/radio)	\$56.00
MH-53A7A	The MH-53A7A is a Noise-Canceling Microphone .	\$103.00
MH-53A8A	Heavy Duty Weatherproof Noise Canceling DTMF	\$149.00
	Microphone for the CNT-5000 remote Control Head.	
MH-53B7A	The MH-53B7A is a Noise-Canceling Microphone with DTMF keypad.	\$163.00
MH-53C7A	The MH-53C7A is a Heavy Duty Microphone .	\$105.00
	Speaker	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
MLS-200	12 W peak external weatherproof speaker.	\$89.00
	Power Supply	
	i one: capp.y	
Model	Description	List Price
FP-1023	External Power Supply 23 Amp	\$216.88
	Programming and Installation	
Model	Description	List Price
CT-70	Radio Programming Cable (Requires VX VPL-1 Cable)	\$63.00
CT-72	Cloning Cable (Set-to-Set Clone)	\$68.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific	\$150.00
INCT ODT	models for additional cable pigtails.	¢52.00
INST-OPT PROG/ADD	Installation Charge.  Factory Radio Programming (Each additional channel after	\$53.00 \$6.00
T KOG/ADD	1st)	φυ.υυ
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX MPI	Programming Kit for the MDC1200 and the FVP-35	\$263.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable pigtails.	\$87.00

Model	Description	List Price
CN-6	Connector Board (to be used with the installation of third-	\$16.00
	party options.)	
F2D-8	Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)	\$102.00
F5D-14	Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-	\$202.00
FIF-7A	4000 / VX-5500 / VX-6000) Interface Board (for VX-4000 / 5500 / 6000 with FVP-25,	\$37.00
	FVP-35, F2D-8 & VTP-50 option boards)	<b>\$07.50</b>
	Deplease the FIF 7	
FVP-25	Replaces the FIF-7	\$118.00
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)	\$118.00
FVP-35	Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI	\$346.00
MDC1200	for programming MDC1200 ANI Encoder. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for	\$125.00
VME-100	programming.  The VME-100 is a plug-in ANI encoder capable of encoding MDC1200, GE Star or DTMF ANI per channel.	\$99.95
VTP-50	Trunking Portable Logic Board, requires FIF-7 if used in teh VX-4000, VX-5500 or VX-6000 mobile.	\$134.00
	DC Noise Filters	
Madal	Decembries	Liet Dwice
Model LF-1	Description  Division Line Filter	List Price
LF-1	Plug-In Line Filter	\$35.00
	Control Head	
Model	Description	List Price
CNT-5000	Compact motorcycle control head for the VX-	\$499.00
1	4000, VX-5500 and VX-6000 mobiles.	
CNT-6000	Control Head for multi-head configurations.	\$175.00
	Coverniete	
	Cover plate	
Model	Description	List Price
RMK-4000B	Cover plate for the RF Deck in Remote Applications	\$65.00
RMK-4000H	Cover plate for the Control Head (Includes mounting bracket and hardware)	\$105.00
RMK-5000B	Dedicated Motorcycle Control Head. Built for ease of use and all weather operation.	\$179.00
	Remote Cable	
Model	Description	List Price
CT-81	Remote Cable for RMK-4000 series (20 ft) (RF Deck to Control Head)	\$90.00
CT-82	Remote Cable for RMK-4000 series (8 ft) (RF Deck to Control Head)	\$80.00

CT-83	Remote Cable for RMK-4000 series (2 ft) (RF Deck to RF Deck)	\$70.00
CT-93	Remote Cable for RMK-4000 series (30 ft) (RF Deck to Control Head)	\$96.34
	Alignment/Service Related	
	Angriment/ Service Related	
Model	Description	List Price
CT-88	The CT-88 cable is used in conjunction	\$55.00
	with the FIF-8 box to make adjustments to	
	the alignment. This is for the VX-4000/VX-	
	5500/VX-6000 mobiles. The CT-88	
	connects from the DB25 accessory port of	
	the mobile, to the FIF-8 box interfaced to	
FIF-8	Firmware Writer. Unit comes with a cable for the muli-pin radios (VX-900, VX-4000, etc.). Please order the CT-92	\$188.00
	cable for firmware updating of modular connector radios	
	(VX-3200, VX-4200, VXR-9000, etc.). Powered by a PA-	
	23R (not sunnlied)	
	DC cables	
	DC Cables	
Model	Description	List Price
E-DC-22	30 ft DC cable for VX-4000/-5500 mobiles.	\$80.00
	Mobiles - VX-6000	
Model	Description	List Price
VX-6000LB PKG-1	VX-6000 Series High Spec Pablic Safety Mobile 120W 37-	\$1,375.00
MH-25B7A VX-6000UD PKG-1	50MHz 250CH w/MH-25B7A  VX-6000 Series High Spec Pablic Safety Mobile 100W 450-	\$1,375.00
MH-25B7A	480MHz 250CH w/MH-25B7A	\$17,676.66
VX-6000VC PKG-1	VX-6000 Series High Spec Pablic Safety Mobile 110W 148-	\$1,325.00
MH-25B7A	174MHz 250CH w/MH-25B7A	
	Mounting Bracket	
	•	
Model	Description	List Price
MMB-77	Locking Mobile Mounting Bracket for the VX-6000	\$95.00
MMB-88	This is a mounting bracket, which is a base plate for the	\$79.00
	CNT-5000 and MLS-200.	
	The MMB-88 mounts to a motorcycle. The CNT-5000 and	
	MLS-200 then mount to the MMB-88, side by side.	
	Microphone	
	<u> </u>	
Model	Description	List Price
MD-11A8J/4000	Desk Microphone	\$114.00
MH-25B7A	Vertex Mobile Microphone (Supplied w/radio)	\$56.00
MH-53A7A	The MH-53A7A is a Noise-Canceling Microphone .	\$103.00

MH-53A8A	Heavy Duty Weatherproof Noise Canceling DTMF	\$149.00
MH-53B7A	Microphone for the CNT-5000 remote Control Head.  The MH-53B7A is a Noise-Canceling Microphone with DTMF	\$163.00
	keypad.	
MH-53C7A	The MH-53C7A is a Heavy Duty Microphone .	\$105.00
	Speaker	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
MLS-200	12 W peak external weatherproof speaker.	\$89.00
	Programming and Installation	
Model	Description	List Price
CT-70	Radio Programming Cable (Requires VX VPL-1 Cable)	\$63.00
CT-72	Cloning Cable (Set-to-Set Clone)	\$68.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific models for additional cable pigtails.	\$150.00
INST-OPT	Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after 1st)	\$6.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
	Programming Kit for the MDC1200 and the FVP-35	\$263.00
VX MPI		
VX MPI VX VPL-1	Programming cable from PC. Check specific models for additional cable pigtails.	\$87.00
	Programming cable from PC. Check specific models for	\$87.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable piqtails.	
	Programming cable from PC. Check specific models for additional cable pigtails.  Signaling  Description  Connector Board (to be used with the installation of third-	List Price
Wodel CN-6	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000	\$87.00  List Price \$16.00  \$102.00
Model CN-6 F2D-8	Programming cable from PC. Check specific models for additional cable pigtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-	List Price \$16.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25,	\$16.00 \$102.00 \$202.00
Model CN-6 F2D-8	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)	\$16.00 \$102.00 \$202.00
Model CN-6 F2D-8	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35, F2D-8 & VTP-50 option boards)	\$16.00 \$102.00 \$202.00
Model CN-6 F2D-8 F5D-14	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35, F2D-8 & VTP-50 option boards)  Replaces the FIF-7  Encryption Unit (Band Inversion Type) and DTMF Paging.	\$16.00 \$102.00 \$202.00 \$37.00
Model CN-6 F2D-8 F5D-14 FIF-7A	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35, F2D-8 & VTP-50 option boards)  Replaces the FIF-7  Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-	\$16.00 \$102.00 \$202.00 \$37.00
Model CN-6 F2D-8 F5D-14 FIF-7A	Programming cable from PC. Check specific models for additional cable piqtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35, F2D-8 & VTP-50 option boards)  Replaces the FIF-7  Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)  Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI	\$16.00 \$102.00 \$202.00 \$37.00
Model CN-6 F2D-8 F5D-14 FIF-7A	Programming cable from PC. Check specific models for additional cable pigtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35, F2D-8 & VTP-50 option boards)  Replaces the FIF-7  Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)  Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for programming  MDC1200 ANI Encoder. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for	\$16.00 \$102.00 \$202.00 \$37.00 \$118.00 \$346.00
Model CN-6 F2D-8	Programming cable from PC. Check specific models for additional cable pigtails.  Signaling  Description  Connector Board (to be used with the installation of third-party options.)  Two-Tone Decoder. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Five-Tone Enc/Dec Unit. (requires FIF-7 if used on the VX-4000 / VX-5500 / VX-6000)  Interface Board (for VX-4000 / 5500 / 6000 with FVP-25, FVP-35, F2D-8 & VTP-50 option boards)  Replaces the FIF-7  Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)  Plug-in Rolling Code Encryption. Requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000. Requires VX MPI for programming  MDC1200 ANI Encoder. Requires FIF-7 if installed into the	List Price \$16.00 \$102.00

Control Head				
Model	Description	List Price		
CNT-5000	Compact motorcycle control head for the VX-4000, VX-5500 and VX-6000 mobiles.	\$499.00		
CNT-6000	Control Head for multi-head configurations.	\$175.00		
	Cover plate			
	T			
Model	Description	List Price		
RMK-4000B	Cover plate for the RF Deck in Remote Applications	\$65.00		
RMK-4000H	Cover plate for the Control Head (Includes mounting bracket and hardware)	\$105.00		
RMK-5000B	Dedicated Motorcycle Control Head. Built for ease of use and all weather operation.	\$179.00		
	Remote Cable			
Model	Description	List Price		
CT-81	Remote Cable for RMK-4000 series (20 ft) (RF Deck to Control Head)	\$90.00		
CT-82	Remote Cable for RMK-4000 series (8 ft) (RF Deck to Control Head)	\$80.00		
CT-83	Remote Cable for RMK-4000 series (2 ft) (RF Deck to RF Deck)	\$70.00		
CT-93	Remote Cable for RMK-4000 series (30 ft) (RF Deck to Control Head)	\$96.34		
	Alignment/Service Related			
	Alignment/ Service Related			
Model	Description	List Price		
CT-88	The CT-88 cable is used in conjunction	\$55.00		
	with the FIF-8 box to make adjustments to			
	3			
	the alignment. This is for the VX-4000/VX-			
	5500/VX-6000 mobiles. The CT-88			
	connects from the DB25 accessory port of			
	the mobile, to the FIF-8 box interfaced to			
FIF-8	Firmware Writer. Unit comes with a cable for the muli-pin	\$188.00		
	radios (VX-900, VX-4000, etc.). Please order the CT-92			
	cable for firmware updating of modular connector radios			
	(VX-3200, VX-4200, VXR-9000, etc.). Powered by a PA- 23B (not supplied)			
	DC cables			
Model	Description	List Price		
E-DC-23	30 ft DC cable for VX-6000 mobiles.	\$160.00		
	LTR? Trunking Mobiles - VX-	2500		
Model	Description	List Price		
VX-2500UD LTR 1 MH-25A8J	PKG-VX-2500 Series LTR Mobile 25W 450-490MHz 640CH w/MH- 25A8J	\$392.00		

	G- VX-2500 Series LTR Mobile 25W 148-174MHz 640CH w/MH-	\$339.00
1 MH-25A8J	25A8J	
	Microphone	
Model	Description	List Price
MD-11A8J	Desktop Microphone For Base/Repeater Control	\$102.00
MH-25A8J	Standard Microphone	\$40.00
MH-700D	DTMF Microphone, Black	\$186.00
	Speaker	
	- I	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
MLS-200	12 W peak external weatherproof speaker.	\$89.00
	Power Supply	
Model	Description	List Price
FP-1023	External Power Supply 23 Amp	\$216.88
	Decareometric and Installation	
	Programming and Installation	
Model	Description	List Price
CT-104A	CT-104A Interface Cable for FIF-10A	\$40.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific models for additional cable pigtails.	\$150.00
INST-OPT	Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after 1st)	\$6.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable pigtails.	\$87.00
	2: "	
	Signaling	
Model	Description	List Price
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-	\$118.00
	LTR? Trunking Mobiles - VX-3200 LT	R
Model	Description	List Price
VX-3200UD LTR PK	CG- VX-3200UD LTR PKG-1	\$409.00
VX-3200VC LTR PK 1	G- VX-3200VC LTR PKG-1	\$399.00
	Microphone	
Model	Description	List Price
MD-11A8J	Desktop Microphone For Base/Repeater Control	\$102.00
MH-25A8J	Standard Microphone	\$40.00

MH-700D	DTMF Microphone, Black	\$186.00
	Speaker	
Model	Description	List Price
MLS-100	External Speaker (12 Watt Peak)	\$62.00
MLS-200	12 W peak external weatherproof speaker.	\$89.00
	Power Supply	
Model	Description	List Price
FP-1023	External Power Supply 23 Amp	\$216.88
	Programming and Installation	
Model	Description	List Price
CT-104A	CT-104A Interface Cable for FIF-10A	\$40.00
FIF-10A	FIF-10A USB Interface for PC programming. Check specific models for additional cable pigtails.	\$150.00
INST-OPT	Installation Charge.	\$53.00
PROG/ADD	Factory Radio Programming (Each additional channel after 1st)	\$6.00
PROGRAMMING	Factory Radio Programming (single channel only)	\$50.00
VX VPL-1	Programming cable from PC. Check specific models for additional cable pigtails.	\$87.00
	Cianalina	
	Signaling	
Model	Description	List Price
FVP-25	Encryption Unit (Band Inversion Type) and DTMF Paging. (requires FIF-7 if installed into the VX-4000 / VX-5500 / VX-6000)	\$118.00